

Subject index

- 999 ambulance service**, The acceptability of an emergency medical dispatch system to people who call 999 to request an ambulance, **160**
- 999 EMS Research Forum**, 999 EMS Research Forum, **164**
- activated charcoal**, Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **46**
- acute injury**, The psychological burden of injury: an 18 month prospective cohort study, **400**
- acute pyelonephritis**, Short-term effectiveness of ceftriaxone single dose in the initial treatment of acute uncomplicated pyelonephritis in women. A randomised controlled trial, **19**
- adhesive strips**, A randomised, controlled trial comparing a tissue adhesive (2-octylcyanoacrylate) with adhesive strips (Steristrips) for paediatric laceration repair, **405**
- admission scores**, The PATRIARCH Study. Using outcome measures for league tables: Can a North American prediction of admission score be used in a United Kingdom children's emergency department?, **536**
- adolescent**, Intentional overdose of warfarin in an adolescent: need for follow up, **90**
- adverse events**, Detecting and reducing adverse events in an Australian rural base hospital emergency department using medical record screening and review, **35**
- airbags**, Injuries associated with airbag deployment, **490**
- airway obstruction**, Beware the tooth fairy, **360**
- airway**, Airway management in the emergency department, **2**
- alcohol misuse**, Screening for alcohol misuse, **185**
- alcohol**, Positive blood alcohol concentration and road accidents. A prospective study in an Italian emergency department, **210**
- ambulance crews**, Do ambulance crews with one advanced paramedic skills officer have longer scene times than crews with two?, **152**
- ambulance services**, Emergency (999) calls to the ambulance service that do not result in the patient being transported to hospital: an epidemiological study, **449**
- ambulance**, Hitting them where it hurts? Low dose nalbuphine therapy, **565**
- amyl nitrite**, Methylene blue: a treatment for severe methaemoglobinemia secondary to misuse of amyl nitrite, **270**
- anaesthesia**, Is cocaine needed in topical anaesthesia?, **418**
- analgesia**, Emergency analgesia in the paediatric population. Part I Current practice and perspectives, **4**
Emergency analgesia in the paediatric population. Part II Pharmacological methods of pain relief, **101**
Emergency analgesia in the paediatric population. Part III Non-pharmacological measures of pain relief and anxiolysis, **195**
Hitting them where it hurts? Low dose nalbuphine therapy, **565**
- anaphylaxis**, Fatal asthma or anaphylaxis?, **415**
- ankle sprain**, Effectiveness of double Tubigrip in grade 1 and 2 ankle sprains, **90**
Effectiveness of double Tubigrip in grade 1 and 2 ankle sprains, **90**
Effectiveness of double Tubigrip in grade 1 and 2 ankle sprains, **91**
Effectiveness of double Tubigrip in grade 1 and 2 ankle sprains, **91**
What about patient satisfaction following acute ankle sprains?, **183**
What about patient satisfaction following acute ankle sprains?, **183**
- Antarctic**, Medicine in the heart of the Antarctic: 1908–2001, **314**
- anterior shoulder dislocation**, Anterior shoulder dislocation: an unusual complication, **367**
- anti-D prophylaxis**, Anti-D immunoprophylaxis within the accident and emergency department, **375**
- anxiolysis**, Emergency analgesia in the paediatric population. Part III Non-pharmacological measures of pain relief and anxiolysis, **195**
- apnoea**, Apparent life threatening events in infants presenting to an emergency department, **11**
- apparent life threatening event**, Apparent life threatening events in infants presenting to an emergency department, **11**
- appendicitis**, Acute appendicitis after a fall from a ladder: a traumatic aetiology?, **366**
Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **428**
- arachnoid cyst**, Haemorrhage into an arachnoid cyst: a serious complication of minor head trauma, **365**
- Asherman chest seal**, Use of the Asherman chest seal as a stabilisation device for needle thoracostomy, **590**
- asphyxiation**, Two cases of near asphyxiation in children, using non-releasing plastic garden ties, **184**
Two cases of near asphyxiation in children, using non-releasing plastic garden ties, **184**
- aspirin**, An evidence based flowchart to guide the management of acute salicylate (aspirin) overdose, **206**
- asthma**, Fatal anaphylactoid reaction to N-acetylcysteine: caution in patients with asthma, **594**
Fatal asthma or anaphylaxis?, **415**
Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **141**
- attendance patterns**, Temporal and demographic variations in attendance at accident and emergency departments, **531**
- avulsion**, Avulsion of the triceps tendon, **271**
- balloon**, A solution to the non-deflating balloon of a suprapubic catheter, **354**
- Bell's palsy**, Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **322**
- Bell's palsy**, Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **428**
- best evidence topic reports**, Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **141**
Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **247**
Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **322**
Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **428**
Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **46**
- biceps injury**, Two cases of biceps injury in bodybuilders with initially misleading presentation, **461**
- bilateral spontaneous pneumothorax**, Bilateral spontaneous pneumothorax, **90**
- blunt abdominal trauma**, Towards evidence based emergency medicine: Best BETs from the Manchester Royal Infirmary, **550**
- bodybuilders**, Two cases of biceps injury in bodybuilders with initially misleading presentation, **461**
- bone scintigraphy**, Risk reduction through skeletal scintigraphy as a screening tool in suspected scaphoid fracture: a literature review, **507**
- bowel infarction**, Urgent contrast enhanced computed tomography in the diagnosis of acute bowel infarction, **480**
- brake fluid**, Toxicity of brake oil, **267**
- broad complex tachycardia**, Fascicular tachycardia: uncommon or just unrecognised?, **477**
- burns**, The effect of gel burns dressings on skin temperature, **224**
- calcaneum**, A misdiagnosed fracture of the calcaneum, **185**
- calcium salts**, Calcium salts in management of hyperkalaemia, **92**
- calculation**, The development of a computerised equipment and drug calculator for use in resuscitation, **215**
- caller satisfaction**, The acceptability of an emergency medical dispatch system to people who call 999 to request an ambulance, **160**
- capital planning**, Article 11. Capital planning, the coroner, and there is a transit van in your resuscitation room, **560**
- car crashes**, Whiplash associated disorder in children attending the emergency department, **311**
- carbon monoxide**, Chronic and occult carbon monoxide poisoning: we don't know what we're missing, **386**
- cardiac arrest**, Delayed asystolic cardiac arrest after diltiazem overdose; resuscitation with high dose intravenous calcium, **355**
The use of transthoracic echocardiography to guide thrombolytic therapy during cardiac arrest due to massive pulmonary embolism, **178**
- cardiac resuscitation**, Recognition of death and termination of cardiac resuscitation attempts by UK ambulance personnel, **345**
- cardiac tamponade**, Cardiac tamponade: a case of kitchen floor thoracotomy, **587**
- cardiopulmonary bypass**, Dead? Or just cold: profoundly hypothermic patient with no signs of life, **478**
- carotid pressure**, Cardioversion by venepuncture in sustained stable supraventricular tachycardia, **358**
- ceftriaxone**, Short-term effectiveness of ceftriaxone single dose in the initial treatment of acute uncomplicated pyelonephritis in women. A randomised controlled trial, **19**
- cephalosporins**, Short-term effectiveness of ceftriaxone single dose in the initial treatment of acute uncomplicated pyelonephritis in women. A randomised controlled trial, **19**
- cervical neurapraxia**, Transient cervical neurapraxia associated with cervical spine stenosis, **172**

- cervical spine fracture**, Cervical spine control; bending the rules, 592
- cervical spine injury**, Towards evidence based emergency medicine: Best BETs from the Manchester Royal Infirmary, 550
- cervical spine**, Whiplash associated disorder in children attending the emergency department, 311
- cervical subcutaneous emphysema**, Subcutaneous emphysema of the neck and colonic perforation, 465
- charcoal**, The potential role of prehospital administration of activated charcoal, 63
- chemical decontamination**, Facilities for chemical decontamination in accident and emergency departments in the United Kingdom, 453
- chest pain**, A prospective, observational study of a chest pain observation unit in a British hospital, 117
ROME: a rapid rule out strategy for low risk chest pain. Does it work in a UK emergency department?, 395
- Child Protection Register**, Accident and emergency department access to the child protection register: a questionnaire survey, 136
The Child Protection Register: A tool in the accident and emergency department?, 229
- child protection**, Presentation to accident and emergency with crying or screaming and likelihood of child protection registration, 17
- children**, Article 10 Media handling, consent in children, and some one wants you to spend £2 million, 437
Golf related head injuries in children, 576
Hand injuries in young children from contact with vacuum cleaners, 80
The PATRIARCH Study. Using outcome measures for league tables: Can a North American prediction of admission score be used in a United Kingdom children's emergency department?, 536
Two cases of near asphyxiation in children, using non-releasing plastic garden ties, 184
Two cases of near asphyxiation in children, using non-releasing plastic garden ties, 184
- circulatory arrest**, Dead? Or just cold: profoundly hypothermic patient with no signs of life, 478
- clinical governance**, Article 8. Quality assurance, clinical governance, and a patient wants to die, 255
- clinical guidelines**, Measuring plasma paracetamol concentrations in all patients with drug overdoses; development of a clinical decision rule and clinicians willingness to use it, 408
- clinical research**, Clinical research in emergency medicine: putting it together, 242
Troublesome toxins, 192
- clubbing**, A little nightclub medicine: the healthcare implications of clubbing, 542
- cocaine**, Cocaine/heroin induced rhabdomyolysis and ventricular fibrillation, 264
Is cocaine needed in topical anaesthesia?, 418
- colchicine poisoning**, Accidental colchicine overdose. A case report and literature review, 265
- colonic perforation**, Subcutaneous emphysema of the neck and colonic perforation, 465
- computed tomography**, Towards evidence based emergency medicine: Best BETs from the Manchester Royal Infirmary, 550
Urgent contrast enhanced computed tomography in the diagnosis of acute bowel infarction, 480
- computer**, Hoof kick injuries in unmounted equestrians. Improving accident analysis and prevention by introducing an accident and emergency based relational database, 573
The development of a computerised equipment and drug calculator for use in resuscitation, 215
- conjunctivitis**, Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, 322
- consultant**, Occupational stress in consultants in accident and emergency medicine: a national survey of levels of stress at work, 234
- convulsion**, Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, 46
- coroner**, Article 11. Capital planning, the coroner, and there is a transit van in your resuscitation room, 560
- corticosteroid infusion**, The MRC CRASH Trial: study design, baseline data, and outcome in 1000 randomised patients in the pilot phase, 510
- cost analysis**, A prospective, observational study of a chest pain observation unit in a British hospital, 117
- craniocerebral trauma**, A meta-analysis of GCS 15 head injured patients with loss of consciousness or post-traumatic amnesia, 515
- cricothyroidotomy**, Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, 428
- crying**, Presentation to accident and emergency with crying or screaming and likelihood of child protection registration, 17
- cianoacrylate**, Comparative prospective study of foreign body removal from external auditory canals of cadavers with right angle hook or cianoacrylate glue, 43
- cianoacrylates**, A randomised, controlled trial comparing a tissue adhesive (2-octylcianoacrylate) with adhesive strips (Steristrips) for paediatric laceration repair, 405
- deflation**, A solution to the non-deflating balloon of a suprapubic catheter, 354
- Delphi study design**, Delphi type methodology to develop consensus on the future design of EMS systems in the United Kingdom, 155
- demography**, Temporal and demographic variations in attendance at accident and emergency departments, 531
- dental problems**, Dental knowledge of accident and emergency senior house officers, 539
- depression**, Occupational stress in consultants in accident and emergency medicine: a national survey of levels of stress at work, 234
- designs**, Overview of research designs, 546
- detection**, Accident and emergency department access to the child protection register: a questionnaire survey, 136
- developing countries**, Emergency medicine in differently resourced settings: what can we offer each other?, 378
Information exchange is two way, 380
Registry based trauma outcome: perspective of a developing country, 391
- diagnosis**, A prospective, observational study of a chest pain observation unit in a British hospital, 117
- diagnostic errors**, Diagnostic errors in an accident and emergency department, 374
Diagnostic errors in an accident and emergency department, 374
- diagnostic peritoneal lavage**, Diagnostic peritoneal lavage analysis: should trauma guidelines be revised?, 524
- digoxin**, Calcium for hyperkalaemia in digoxin toxicity, 183
- dissection, aorta, paraplegia**, Transient paraplegia as a presenting feature of aortic dissection in a young man, 174
- divalent cations**, Accidental hypothermia and active rewarming: the metabolic and inflammatory changes observed above and below 32°C, 219
- drug overdose**, Delayed asystolic cardiac arrest after diltiazem overdose; resuscitation with high dose intravenous calcium, 355
- ear injury**, A prospective survey of patients with presumed accidental ear injury presenting to a paediatric accident and emergency department, 226
- ear lacerations**, A prospective survey of patients with presumed accidental ear injury presenting to a paediatric accident and emergency department, 226
- ear trauma**, A prospective survey of patients with presumed accidental ear injury presenting to a paediatric accident and emergency department, 226
- economic evaluation**, An introduction to economic evaluation, 198
Being economical with the truth: how to make your idea appear cost effective, 301
- education**, Dental knowledge of accident and emergency senior house officers, 539
Whiplash associated disorders: a review of the literature to guide patient information and advice, 499
- electrocardiogram**, Recognising signs of danger: ECG changes resulting from an abnormal serum potassium concentration, 74
The electrocardiographic differential diagnosis of ST segment depression, 129
- electrocardiography**, Recognition of ST elevation by paramedics, 66
What's the point of ST elevation?, 126
- electrocution**, Focal lingual dystonia, urinary incontinence, and sensory deficits secondary to low voltage electrocution: case report and literature review, 368
- emergency 999 calls**, Emergency (999) calls to the ambulance service that do not result in the patient being transported to hospital: an epidemiological study, 449
- emergency identification emblems**, Importance of emergency identification schemes, 584
- emergency medical dispatch**, The acceptability of an emergency medical dispatch system to people who call 999 to request an ambulance, 160
- emergency medical technicians**, Recognition of ST elevation by paramedics, 66
- emergency**, The development of a computerised equipment and drug calculator for use in resuscitation, 215
- EMS systems**, Delphi type methodology to develop consensus on the future design of EMS systems in the United Kingdom, 155
- envenomation**, An unusual case of paralytic ileus after jellyfish envenomation, 357
- ethics**, Ethical considerations in accident and emergency research, 423
- ethylene glycol**, Toxicity of brake oil, 267
- evidence based medicine**, An evidence based flowchart to guide the management of acute salicylate (aspirin) overdose, 206
- experience**, ASME proposals for reform of SHO training: threat or opportunity for the specialty of accident and emergency?, 231

- external auditory canal**, Comparative prospective study of foreign body removal from external auditory canals of cadavers with right angle hook or cyanoacrylate glue, **43**
- factor VIIa**, Towards evidence based emergency medicine: Best BETs from the Manchester Royal Infirmary, **550**
- Faculty of Accident and Emergency Medicine**, Faculty of Accident and Emergency Medicine, **276**
- failed intubation**, Rapid sequence induction in the emergency department: a strategy for failure, **109**
- femoral neuropathy**, Retroperitoneal haematoma after paracetamol increased anticoagulation, **84**
- finance**, Article 7. Money, money, money. (Where does it come from, how do we control it, and how far should we go to get more?), **146**
- fingertip injury**, Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **141**
- flagellation**, Flagellation: a rare cause of pneumothorax, **463**
- fluid resuscitation**, Fluid resuscitation in prehospital trauma care: a consensus view, **494**
- fluid resuscitation**, Choice of fluid for resuscitation of septic shock, **114**
- focal lingual dystonia**, Focal lingual dystonia, urinary incontinence, and sensory deficits secondary to low voltage electrocution: case report and literature review, **368**
- foreign body**, Comparative prospective study of foreign body removal from external auditory canals of cadavers with right angle hook or cyanoacrylate glue, **43**
Pharyngeal foreign body in a child persisting for three years, **361**
- foundation year**, ASME proposals for reform of SHO training: threat or opportunity for the specialty of accident and emergency?, **231**
- fracture**, A misdiagnosed fracture of the calcaneum, **185**
The externally rotated leg: a trap for the unwary, **464**
- gangrenous appendix**, Pseudomyocardial infarction associated with a retrocaecal gangrenous appendix, **481**
- gastric lavage**, Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **247**
- golf**, Golf related head injuries in children, **576**
- guideline**, An evidence based flowchart to guide the management of acute salicylate (aspirin) overdose, **206**
Paracetamol overdose: an evidence based flowchart to guide management, **202**
- haematuria**, Urinary schistosomiasis, **483**
- haemorrhage**, Haemorrhage into an arachnoid cyst: a serious complication of minor head trauma, **365**
- head injuries**, A meta-analysis of GCS 15 head injured patients with loss of consciousness or post-traumatic amnesia, **515**
Golf related head injuries in children, **576**
Sudden visual loss after closed head injury, **475**
The MRC CRASH Trial: study design, baseline data, and outcome in 1000 randomised patients in the pilot phase, **510**
Towards evidence based emergency medicine: Best BETs from the Manchester Royal Infirmary, **550**
- hemlock water dropwort**, A hemlock water dropwort curry: a case of multiple poisoning, **472**
- heroin**, Cocaine/heroin induced rhabdomyolysis and ventricular fibrillation, **264**
- hidden medical conditions**, Importance of emergency identification schemes, **584**
- histamine fish poisoning**, Histamine fish poisoning: a common but frequently misdiagnosed condition, **474**
- horse injuries**, A changing pattern of injuries to horse riders, **412**
Hoof kick injuries in unmounted equestrians. Improving accident analysis and prevention by introducing an accident and emergency based relational database, **573**
- hydrogel dressing**, The effect of gel burns dressings on skin temperature, **224**
- hyperkalaemia**, Calcium for hyperkalaemia in digoxin toxicity, **183**
Calcium salts in management of hyperkalaemia, **92**
- hypoglycaemia**, Factitious hypoglycaemia in hypotension, **376**
- hypokalaemic periodic paralysis**, Thyrotoxic periodic paralysis: reports of seven patients presenting with weakness in an Asian emergency department, **78**
- hypopharynx**, A rare case of a pedunculated lipoma in the pharynx, **275**
- hypotension**, Factitious hypoglycaemia in hypotension, **376**
- hypothermia**, Accidental hypothermia and active rewarming: the metabolic and inflammatory changes observed above and below 32°C, **219**
Dead? Or just cold: profoundly hypothermic patient with no signs of life, **478**
Recovery from ph 6.38: lactic acidosis complicated by hypothermia, **169**
- iliocolic artery**, Disruption of the iliocolic artery after blunt trauma, **589**
- injuries**, Hand injuries in young children from contact with vacuum cleaners, **80**
Hoof kick injuries in unmounted equestrians. Improving accident analysis and prevention by introducing an accident and emergency based relational database, **573**
- injury severity score**, Positive blood alcohol concentration and road accidents. A prospective study in an Italian emergency department, **210**
- injury**, Pattern and severity of injuries in micro-scooter related accidents, **571**
- intensive care medicine**, Training in intensive care medicine: an accident and emergency trainee's perspective, **106**
- interleukins**, Accidental hypothermia and active rewarming: the metabolic and inflammatory changes observed above and below 32°C, **219**
- internet**, TOXBASE: Poisons information on the internet, **31**
Using the internet to coordinate a teaching programme in accident and emergency medicine, **305**
- interobserver variability**, What's the point of ST elevation?, **126**
- intoxication**, Non-cardiogenic pulmonary oedema in the course of verapamil intoxication, **458**
- intubation**, Airway management in the emergency department, **2**
Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **428**
- jellyfish**, An unusual case of paralytic ileus after jellyfish envenomation, **357**
- Journal scan**, Journal scan, **54**
Journal scan, **149**
Journal scan, **253**
Journal scan, **331**
Journal scan, **435**
Journal scan, **558**
- journal clubs**, Journal clubs in clinical medicine, **184**
- laceration**, A randomised, controlled trial comparing a tissue adhesive (2-octylcyanoacrylate) with adhesive strips (Steristrips) for paediatric laceration repair, **405**
- lacerations**, Use of tissue adhesives in the management of paediatric lacerations, **382**
- lactic acidosis**, Recovery from ph 6.38: lactic acidosis complicated by hypothermia, **169**
- laryngoscopy**, Rapid sequence induction in the emergency department: a strategy for failure, **109**
- league tables**, The PATRIARCH Study. Using outcome measures for league tables: Can a North American prediction of admission score be used in a United Kingdom children's emergency department?, **536**
- learning**, Teaching and learning, **375**
- lidocaine**, Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **141**
- light wand**, Tracheal intubation by novice staff: the direct vision laryngoscope or the lighted stylet (Trachlight)?, **292**
- living wills**, Article 8. Quality assurance, clinical governance, and a patient wants to die, **255**
- lumbar hernia**, An unusual presentation of a lumbar hernia, **460**
- magnesium sulphate**, A randomised trial to investigate the efficacy of magnesium sulphate for refractory ventricular fibrillation, **57**
- magnesium therapy**, The role of magnesium in the emergency department, **288**
- mailing list**, Using the internet to coordinate a teaching programme in accident and emergency medicine, **305**
- major incident**, Article 11. Capital planning, the coroner, and there is a transit van in your resuscitation room, **560**
Triage decisions of prehospital emergency health care providers, using a multiple casualty scenario paper exercise, **348**
- management**, Article 6. Sex, drugs, and rock and roll, **51**
Article 9. Change, committees, and the press want to speak to you, **333**
- mast cell tryptase**, Fatal asthma or anaphylaxis?, **415**
- media**, Article 10 Media handling, consent in children, and some one wants you to spend £2 million, **437**
- mediastinal emphysema**, Mediastinal emphysema after a minor oral laceration, **182**
- medical error, clinical risk management**, Detecting and reducing adverse events in an Australian rural base hospital emergency department using medical record screening and review, **35**
- medical staffing**, Senior house officer withdrawals from hospital posts: a questionnaire survey, **308**
- meningococcal disease**, Indicators of mortality from meningococcal disease, **281**
Indicators of mortality from meningococcal disease, **281**
- mercury poisoning**, Mercury: Is it elemental my dear Watson?, **82**
- metabolic acidosis**, Toxicity of brake oil, **267**
- metacarpophalangeal joint**, Volar metacarpophalangeal joint dislocation, **92**
Volar metacarpophalangeal joint dislocation, **92**
- metal fume fever**, Metal fume fever: a case report and review of the literature, **268**
- methaemoglobinaemia**, Methylene blue: a treatment for severe methaemoglobinaemia secondary to misuse of amyl nitrite, **270**
- methylene blue**, Methylene blue: a treatment for severe methaemoglobinaemia secondary to misuse of amyl nitrite, **270**

- micro-scooters**, Pattern and severity of injuries in micro-scooter related accidents, **571**
- mini-magnets**, Children and mini-magnets: an almost fatal attraction, **71**
- minor injuries unit**, Can nurses working in remote units accurately request and interpret radiographs?, **68**
- minor injury stream**, The effect of a separate stream for minor injuries on accident and emergency department waiting times, **28**
- Monteggia fracture**, Rare presentation of a type I Monteggia fracture, **88**
- motor vehicle crash**, Injuries associated with airbag deployment, **490**
- myocardial contusion**, Myocardial contusion: emergency investigation and diagnosis, **8**
- myocardial infarction**, A prospective, observational study of a chest pain observation unit in a British hospital, **117**
Emergency management of chest pain: patient satisfaction with an emergency department based six hour rule out myocardial infarction protocol, **122**
Prehospital thrombolysis: lessons from Sweden and their application to the United Kingdom, **578**
Recognition of ST elevation by paramedics, **66**
ROMEo: a rapid rule out strategy for low risk chest pain. Does it work in a UK emergency department?, **395**
- N-acetylcysteine**, Fatal anaphylactoid reaction to N-acetylcysteine: caution in patients with asthma, **594**
- nalbuphine, paramedic**, Hitting them where it hurts? Low dose nalbuphine therapy, **565**
- naloxone**, Intranasal naloxone for life threatening opioid toxicity, **375**
Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **247**
- narrow complex tachycardia**, Fascicular tachycardia: uncommon or just unrecognised?, **477**
- neck pain**, Prevention of chronic pain after whiplash, **526**
- neck sprain**, Prevention of chronic pain after whiplash, **526**
- needle thoracocentesis**, Tension pneumothoraces not responding to needle thoracocentesis, **176**
- needle thoracostomy**, Use of the Asherman chest seal as a stabilisation device for needle thoracostomy, **590**
- nerve block**, Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **141**
- nerve palsy**, Focal lingual dystonia, urinary incontinence, and sensory deficits secondary to low voltage electrocution: case report and literature review, **368**
- NHS Direct**, Impact of NHS Direct on other services: the characteristics and origins of its nurses, **337**
- non-accidental injury**, Accident and emergency department access to the child protection register: a questionnaire survey, **136**
The Child Protection Register: A tool in the accident and emergency department?, **229**
- non-cardiogenic pulmonary oedema**, Non-cardiogenic pulmonary oedema in the course of verapamil intoxication, **458**
- nurse**, Can nurses working in remote units accurately request and interpret radiographs?, **68**
- nursing**, Impact of NHS Direct on other services: the characteristics and origins of its nurses, **337**
- observation unit**, ROMEo: a rapid rule out strategy for low risk chest pain. Does it work in a UK emergency department?, **395**
- opioids**, Intranasal naloxone for life threatening opioid toxicity, **375**
Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **247**
- optic neuropathy**, Sudden visual loss after closed head injury, **475**
- oral laceration**, Mediastinal emphysema after a minor oral laceration, **182**
- orotracheal intubation**, Tracheal intubation by novice staff: the direct vision laryngoscope or the lighted stylet (Trachlight)?, **292**
- overdose**, An evidence based flowchart to guide the management of acute salicylate (aspirin) overdose, **206**
Intranasal naloxone for life threatening opioid toxicity, **375**
Paracetamol overdose: an evidence based flowchart to guide management, **202**
Tricyclic antidepressant overdose, **596**
- paediatric sedation**, Emergency analgesia in the paediatric population. Part IV Paediatric sedation in the accident and emergency department: pros and cons, **284**
- paediatrics**, Choice of fluid for resuscitation of septic shock, **114**
Emergency analgesia in the paediatric population. Part I Current practice and perspectives, **4**
Emergency analgesia in the paediatric population. Part II Pharmacological methods of pain relief, **101**
Emergency analgesia in the paediatric population. Part III Non-pharmacological measures of pain relief and anxiolysis, **195**
Use of tissue adhesives in the management of paediatric lacerations, **382**
- Whiplash associated disorder in children attending the emergency department, **311**
- pancreatitis**, Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **428**
- paracetamol (acetaminophen)**, Paracetamol overdose: an evidence based flowchart to guide management, **202**
- paracetamol overdose**, Measuring plasma paracetamol concentrations in all patients with drug overdoses: development of a clinical decision rule and clinicians willingness to use it, **408**
- paracetamol**, Fatal anaphylactoid reaction to N-acetylcysteine: caution in patients with asthma, **594**
Retroperitoneal haematoma after paracetamol increased anticoagulation, **84**
Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **247**
- paralytic ileus**, An unusual case of paralytic ileus after jellyfish envenomation, **357**
- paramedic**, Prehospital selection of patients for thrombolysis by paramedics, **260**
- parathyroid hormone**, Accidental hypothermia and active rewarming: the metabolic and inflammatory changes observed above and below 32°C, **219**
- passenger**, Whiplash associated disorder in children attending the emergency department, **311**
- patient information**, Whiplash associated disorders: a review of the literature to guide patient information and advice, **499**
- patient satisfaction**, Emergency management of chest pain: patient satisfaction with an emergency department based six hour rule out myocardial infarction protocol, **122**
ROMEo: a rapid rule out strategy for low risk chest pain. Does it work in a UK emergency department?, **395**
- patient views**, Acceptability of asking patients about violence in accident and emergency, **138**
- pedunculated lipoma**, A rare case of a pedunculated lipoma in the pharynx, **275**
- pelvis**, Surgical emphysema over the pelvis: an unusual physical sign found on primary survey, **180**
- pharynx**, Pharyngeal foreign body in a child persisting for three years, **361**
- pH**, Accidental hypothermia and active rewarming: the metabolic and inflammatory changes observed above and below 32°C, **219**
- physical therapy**, Prevention of chronic pain after whiplash, **526**
- pilot phase**, The MRC CRASH Trial: study design, baseline data, and outcome in 1000 randomised patients in the pilot phase, **510**
- place of safety**, Section 136, The Mental Health Act 1983; levels of knowledge among accident and emergency doctors, senior nurses, and police constables, **295**
- pneumomediastinum**, Subcutaneous emphysema of the neck and colonic perforation, **465**
- pneumoperitoneum**, Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **46**
- pneumothorax**, Failure of detection of pneumothorax on initial chest radiograph, **468**
Flagellation: a rare cause of pneumothorax, **463**
- poisoning**, A hemlock water dropwort curry: a case of multiple poisoning, **472**
Advances, challenges, and controversies in poisoning, **190**
Chronic and occult carbon monoxide poisoning: we don't know what we're missing, **386**
Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **428**
- poisons information**, TOXBASE: Poisons information on the internet, **31**
- police**, Section 136, The Mental Health Act 1983; levels of knowledge among accident and emergency doctors, senior nurses, and police constables, **295**
- post-traumatic stress disorder**, The psychological burden of injury: an 18 month prospective cohort study, **400**
- prehospital care**, An email audit of prehospital doctor activity in an area of the West Midlands, **341**
Fluid resuscitation in prehospital trauma care: a consensus view, **494**
Prehospital selection of patients for thrombolysis by paramedics, **260**
Recognition of death and termination of cardiac resuscitation attempts by UK ambulance personnel, **345**
Triage decisions of prehospital emergency health care providers, using a multiple casualty scenario paper exercise, **348**
- priority dispatch systems**, Emergency (999) calls to the ambulance service that do not result in the patient being transported to hospital: an epidemiological study, **449**
- PRISA**, The PATRIARCH Study. Using outcome measures for league tables: Can a North American prediction of admission score be used in a United Kingdom children's emergency department?, **536**
- prognosis**, Risk stratification of patients with syncope in an accident and emergency department, **23**
- protection**, A changing pattern of injuries to horse riders, **412**

- protocol**, Emergency management of chest pain: patient satisfaction with an emergency department based six hour rule out myocardial infarction protocol, **122**
- pseudomyocardial infarction**, Pseudomyocardial infarction associated with a retrocaecal gangrenous appendix, **481**
- psychological morbidity**, The psychological burden of injury: an 18 month prospective cohort study, **400**
- pulmonary embolism**, The use of transthoracic echocardiography to guide thrombolytic therapy during cardiac arrest due to massive pulmonary embolism, **178**
- quadriplegia**, Transient cervical neurapraxia associated with cervical spine stenosis, **172**
- quality assurance**, Article 8. Quality assurance, clinical governance, and a patient wants to die, **255**
- questionnaire survey**, Acceptability of asking patients about violence in accident and emergency, **138**
- radiograph**, Can nurses working in remote units accurately request and interpret radiographs?, **68**
- radiography**, Failure of detection of pneumothorax on initial chest radiograph, **468**
Towards evidence based emergency medicine: Best BETs from the Manchester Royal Infirmary, **550**
- randomised controlled trial**, The MRC CRASH Trial: study design, baseline data, and outcome in 1000 randomised patients in the pilot phase, **510**
- rapid sequence induction**, Rapid sequence induction in the emergency department: a strategy for failure, **109**
- rapid sequence intubation**, Prehospital rapid sequence intubation, **374**
Prehospital rapid sequence intubation, **374**
- recruitment**, Impact of NHS Direct on other services: the characteristics and origins of its nurses, **337**
- renal failure**, Toxicity of brake oil, **267**
- research**, Identifying the research question and planning the project, **318**
Overview of research designs, **546**
- resources**,
respiratory papillomatosis, Respiratory papillomatosis: a rare cause of collapse in a young adult presenting to the emergency department, **362**
- resuscitation**, Dead? Or just cold: profoundly hypothermic patient with no signs of life, **478**
Delayed asystolic cardiac arrest after diltiazem overdose; resuscitation with high dose intravenous calcium, **355**
The development of a computerised equipment and drug calculator for use in resuscitation, **215**
- retroperitoneal haematoma**, Retroperitoneal haematoma after paracetamol increased anticoagulation, **84**
- review**, Whiplash associated disorders: a review of the literature to guide patient information and advice, **499**
- risk stratification**, Risk stratification of patients with syncope in an accident and emergency department, **23**
- road accidents**, Positive blood alcohol concentration and road accidents. A prospective study in an Italian emergency department, **210**
- salicylate**, An evidence based flowchart to guide the management of acute salicylate (aspirin) overdose, **206**
- scaphoid fractures**, Risk reduction through skeletal scintigraphy as a screening tool in suspected scaphoid fracture: a literature review, **507**
- scene times**, Do ambulance crews with one advanced paramedic skills officer have longer scene times than crews with two?, **152**
- schistosomiasis**, Urinary schistosomiasis, **483**
- screening**, Risk reduction through skeletal scintigraphy as a screening tool in suspected scaphoid fracture: a literature review, **507**
Screening for alcohol misuse, **185**
- Section 136, Mental Health Act**, Section 136, The Mental Health Act 1983; levels of knowledge among accident and emergency doctors, senior nurses, and police constables, **295**
- senior house officer**, Senior house officer withdrawals from hospital posts: a questionnaire survey, **308**
- serum potassium**, Recognising signs of danger: ECG changes resulting from an abnormal serum potassium concentration, **74**
- service delivery**, Prehospital thrombolysis: lessons from Sweden and their application to the United Kingdom, **578**
- service provision**, ASME proposals for reform of SHO training: threat or opportunity for the specialty of accident and emergency?, **231**
- skull fracture**, Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **322**
- snakebite**, Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **46**
Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **141**
- specificity**, Prehospital selection of patients for thrombolysis by paramedics, **260**
- spinal injury**, Transient cervical neurapraxia associated with cervical spine stenosis, **172**
- spontaneous haemopneumothorax**, Spontaneous haemopneumothorax: are guidelines overdue?, **273**
- sports medicine**, Sports medicine and the accident and emergency medicine specialist, **239**
- sprained wrist**, Injuries initially misdiagnosed as sprained wrist (Beware the sprained wrist), **41**
- ST segment depression**, The electrocardiographic differential diagnosis of ST segment depression, **129**
- ST segment**, The electrocardiographic differential diagnosis of ST segment depression, **129**
What's the point of ST elevation?, **126**
- status epilepticus**, Emergency department drug therapy for status epilepticus in adults, **96**
Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **141**
- stress**, Occupational stress in consultants in accident and emergency medicine: a national survey of levels of stress at work, **234**
- sudden infant death syndrome**, Apparent life threatening events in infants presenting to an emergency department, **11**
- suprapubic urinary catheter**, A solution to the non-deflating balloon of a suprapubic catheter, **354**
- supraventricular tachycardia**, Cardioversion by venepuncture in sustained stable supraventricular tachycardia, **358**
- surgical emphysema**, Surgical emphysema over the pelvis: an unusual physical sign found on primary survey, **180**
- syncope**, Risk stratification of patients with syncope in an accident and emergency department, **23**
- teaching**, Teaching and learning, **375**
Using the internet to coordinate a teaching programme in accident and emergency medicine, **305**
- telemedicine**, Can nurses working in remote units accurately request and interpret radiographs?, **68**
- telephone triage**, Emergency (999) calls to the ambulance service that do not result in the patient being transported to hospital: an epidemiological study, **449**
Impact of NHS Direct on other services: the characteristics and origins of its nurses, **337**
- temporomandibular joint**, Focal lingual dystonia, urinary incontinence, and sensory deficits secondary to low voltage electrocution: case report and literature review, **368**
- tension pneumothorax**, A strange case of a tension pneumothorax, **470**
Tension pneumothoraces not responding to needle thoracocentesis, **176**
- thoracotomy**, Cardiac tamponade: a case of kitchen floor thoracotomy, **587**
- thrombolysis**, Is prehospital thrombolysis for acute myocardial infarction warranted in the urban setting? The case against, **444**
Prehospital selection of patients for thrombolysis by paramedics, **260**
Prehospital thrombolysis: lessons from Sweden and their application to the United Kingdom, **578**
The case for urban prehospital thrombolysis, **441**
What's the point of ST elevation?, **126**
- thyroid disease**, Thyrotoxic periodic paralysis: reports of seven patients presenting with weakness in an Asian emergency department, **78**
- tissue adhesive**, A randomised, controlled trial comparing a tissue adhesive (2-octylcyanoacrylate) with adhesive strips (SteriStrips) for paediatric laceration repair, **405**
Use of tissue adhesives in the management of paediatric lacerations, **382**
- tongue deviation**, Focal lingual dystonia, urinary incontinence, and sensory deficits secondary to low voltage electrocution: case report and literature review, **368**
- Torg ratio**, Transient cervical neurapraxia associated with cervical spine stenosis, **172**
- torsade de pointes**, Torsade de pointes, **485**
- TOXBASE**, TOXBASE: Poisons information on the internet, **31**
- Trachlight**, Tracheal intubation by novice staff: the direct vision laryngoscope or the lighted stylet (Trachlight)?, **292**
- traffic collisions**, Prevention of chronic pain after whiplash, **526**
- training**, ASME proposals for reform of SHO training: threat or opportunity for the specialty of accident and emergency?, **231**
Training in intensive care medicine: an accident and emergency trainee's perspective, **106**
- transthoracic echocardiography**, The use of transthoracic echocardiography to guide thrombolytic therapy during cardiac arrest due to massive pulmonary embolism, **178**
- trauma care**,
Lack of change in trauma care in England and Wales since 1994, **520**
- trauma outcome**, Registry based trauma outcome: perspective of a developing country, **391**
- trauma**, Acute appendicitis after a fall from a ladder: a traumatic aetiology?, **366**
Diagnostic peritoneal lavage analysis: should trauma guidelines be revised?, **524**
Disruption of the ilioocolic artery after blunt trauma, **589**

- The externally rotated leg: a trap for the unwary, **464**
- traumatic pneumothorax**, Traumatic pneumothorax, **466**
- triage sieve**, Triage decisions of prehospital emergency health care providers, using a multiple casualty scenario paper exercise, **348**
- triage**, Triage decisions of prehospital emergency health care providers, using a multiple casualty scenario paper exercise, **348**
- triceps tendon**, Avulsion of the triceps tendon, **271**
- tricyclic antidepressants**, Tricyclic antidepressant overdose, **596**
- tuberculous osteomyelitis**, Tuberculous osteomyelitis, **184**
- Tubigrip**, Effectiveness of double Tubigrip in grade 1 and 2 ankle sprains, **90**
- ultrasound**, Towards evidence based emergency medicine: Best BETs from the Manchester Royal Infirmary, **550**
- urinary tract infections**, Short-term effectiveness of ceftriaxone single dose in the initial treatment of acute uncomplicated pyelonephritis in women. A randomised controlled trial, **19**
- vacuum cleaners**, Hand injuries in young children from contact with vacuum cleaners, **80**
- vagal manoeuvres**, Cardioversion by venepuncture in sustained stable supraventricular tachycardia, **358**
- Valsalva**, Cardioversion by venepuncture in sustained stable supraventricular tachycardia, **358**
- venepuncture**, Cardioversion by venepuncture in sustained stable supraventricular tachycardia, **358**
- ventricular fibrillation**, A randomised trial to investigate the efficacy of magnesium sulphate for refractory ventricular fibrillation, **57**
- Cocaine/heroin induced rhabdomyolysis and ventricular fibrillation, **264**
- ventricular standstill**, Failure to recognise ventricular standstill, **86**
- ventricular tachycardia**, Fascicular tachycardia: uncommon or just unrecognised?, **477**
- verapamil**, Fascicular tachycardia: uncommon or just unrecognised?, **477**
- Non-cardiogenic pulmonary oedema in the course of verapamil intoxication, **458**
- violence**, Acceptability of asking patients about violence in accident and emergency, **138**
- volar dislocation**, Volar metacarpophalangeal joint dislocation, **92**
- Volar metacarpophalangeal joint dislocation, **92**
- waiting times**, The effect of a separate stream for minor injuries on accident and emergency department waiting times, **28**
- warfarin**, Intentional overdose of warfarin in an adolescent: need for follow up, **90**
- Retroperitoneal haematoma after paracetamol increased anticoagulation, **84**
- web site**, Using the internet to coordinate a teaching programme in accident and emergency medicine, **305**
- whiplash associated disorder**, Whiplash associated disorder in children attending the emergency department, **311**
- whiplash**, Prevention of chronic pain after whiplash, **526**
- Whiplash associated disorders: a review of the literature to guide patient information and advice, **499**
- wound healing**, Towards evidence based emergency medicine: Best BETs from the Manchester Royal Infirmary, **550**