

Subject index

ABCDE, ABCDEs, 358

abdominal colic, Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **263**

abdominal pain, Lesson learnt: don't prescribe heparin for hemoperitoneum!, **206**

abdominal trauma, Isolated posterior gastric injury due to blunt abdominal trauma, **566**

abscess, First branchial cleft anomaly presenting as a recurrent post-auricular abscess, **103**

access block, Entry overload, emergency department overcrowding, and ambulance bypass, **406**

accidental strangulation, Survival from accidental strangulation from a scarf resulting in laryngeal rupture and carotid artery stenosis: the "Isadora Duncan syndrome". A case report and review of literature, **391**

accidents, Accident and emergency attendances by children under the age of 1 year as a result of injury, **21**
Death from petrol inhalation after an armoured vehicle rollover, **494**

accumulator BET, Accumulator BET: a traumatic pleuritic chest pain, **372**

activated charcoal, Feasibility of prehospital treatment with activated charcoal: Who could we treat, who should we treat?, **375**

acute abdomen, *Chlamydia psittaci* pneumonia presenting as acute generalised peritonism, **386**

acute agitation, Pharmacological management of agitation in emergency settings, **339**

acute chest pain nurse specialists, Nurse initiated thrombolysis in the accident and emergency department: safe, accurate, and faster than fast track, **418**

acute disease, How evidence based are therapeutic decisions taken on a medical admissions unit?, **447**

acute knee injuries, Management of soft tissue knee injuries in an accident and emergency department: the effect of the introduction of a physiotherapy practitioner, **37**

acute myocardial infarction, Meeting National Service Framework goals for patients presenting with acute myocardial infarction, **156**
Patient knowledge of thrombolysis in acute myocardial infarction, **52**

acute opioid withdrawal, Effect of inappropriate naltrexone use in a heroin misuser, **381**

acute renal failure, Crush syndrome patients after the Marmara earthquake, **247**

acute respiratory failure, Non-invasive ventilation in acute respiratory failure: a randomised comparison of continuous positive airway pressure and bi-level positive airway pressure, **531**

adhesive strips, Tissue adhesive with adhesive strips for wound closure, **498**

advanced life support, Resuscitation Predictor Scoring Scale for in-hospital cardiac arrests, **6**

advice, Impact of health consequences feedback on patients acceptance of advice about alcohol consumption, **451**

airbag, Occular trauma related to airbag deployment, **490**

airway obstruction, Survival from accidental strangulation from a scarf resulting in laryngeal rupture and carotid artery stenosis: the "Isadora Duncan syndrome". A case report and review of literature, **391**

alcohol, Impact of health consequences feedback on patients acceptance of advice about alcohol consumption, **451**

ambulance, Would a prehospital practitioner model improve patient care in rural Australia?, **199**

ambulance bypass, Entry overload, emergency department overcrowding, and ambulance bypass, **406**

ambulance despatch, Computer assisted assessment and advice for "non-serious" 999 ambulance service callers: the potential impact on ambulance despatch, **178**

ambulance personnel, Interventions for post-traumatic stress disorder and psychological distress in emergency ambulance personnel: a review of the literature, **75**
Post-traumatic stress among Swedish ambulance personnel, **79**

ambulance service, Changing patterns in the care of emergencies in the community: workload of the Westcountry Ambulance Service 1994-2001, **394**

ambulances, Emergency ambulances on public highway linked with inconvenience and potential danger to road users, **277**

amiodarone, Successful resuscitation of a patient with electrical storm, **e4**

analgesia, Nitrous oxide in emergency medicine, **214**
Nurse administered relative analgesia using high concentration nitrous oxide to facilitate minor procedures in children in an emergency department, **410**
"Why haven't you taken any pain killers?" A patient focused study of the walking wounded in an urban emergency department, **228**
Randomised controlled trial of the onset of analgesic efficacy of dexketoprofen and diclofenac in lower limb injury, **511**

ankle pain, Fracture of lateral process of the talus presenting as ankle pain, **e2**

ankle sprains, A survey of current consultant practice of treatment of severe ankle sprains in emergency departments in the United Kingdom, **505**
Population based epidemiology of ankle sprains attending accident and emergency units in the West Midlands of England, and a survey of UK practice for severe ankle sprains, **508**

anti-D immunoglobulin, Use of anti-D immunoglobulin in maternal trauma, **498**

antipyretic, Prehospital use of paracetamol among children attending the accident and emergency department, **88**

aortic coarctation repair, Haemoptysis as a late presentation of aneurysm leakage after aortic coarctation repair: The case for vigilant lifelong radiology surveillance?, **102**

aorto-oesophageal fistula, Perforation of the oesophagus and aorta after eating fish: an unusual cause of chest pain, **385**

armoured vehicles, Death from petrol inhalation after an armoured vehicle rollover, **494**

arrhythmia, Electrocardiographic artefact mimicking arrhythmic change on the ECG, **356**

artefact, Electrocardiographic artefact mimicking arrhythmic change on the ECG, **356**

aspiration, Delayed diagnosis of foreign body aspiration in children, **100**

assault, The epidemiology of assault across the West Midlands, **434**

assault patient questionnaire, Use of, and outputs from, an assault patient questionnaire within accident and emergency departments on Merseyside, **232**

assessment ward, Use of emergency observation and assessment wards: a systematic literature review, **137**

asthma, Accident and emergency departments are still failing to assess asthma severity, **329**
Caesarean delivery during maternal cardiopulmonary resuscitation for status asthmaticus, **296**

atrial fibrillation, Unusual presentation of atrial fibrillation, **106**

atypical antipsychotics, Pharmacological management of agitation in emergency settings, **339**

audit, A hospital response to a soccer stadium stampede in Zimbabwe, **556**
Management of whiplash injuries presenting to accident and emergency departments in Wales, **354**
National audit of emergency department child protection procedures, **222**
Paramedic accuracy in using a decision support algorithm when recognising adult death: a prospective cohort study, **473**
What is the patient's best telephone number?, **302**

backboard, Comparison of a long spinal board and vacuum mattress for spinal immobilisation, **476**

bacterial contamination, A preliminary investigation into bacterial contamination of Welsh emergency ambulances, **479**

bed management, Can good bed management solve the overcrowding in accident and emergency departments?, **149**

bed occupancy, Can good bed management solve the overcrowding in accident and emergency departments?, **149**

best evidence topic reports, Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **169**

- Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **263**
- Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **362**
- Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **464**
- Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **61**
- Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **547**
- bioterrorism**, Sex, SARS, and the Holy Grail, **400**
- bleeding diathesis**, Transient lupus anticoagulant: an unusual cause of bruising in children, **e6**
- β blocker**, Sodium bicarbonate to treat massive β blocker overdose, **393**
- blood cultures**, How do blood cultures sent from a paediatric accident and emergency department influence subsequent clinical management?, **347**
- Utility of blood cultures in the management of adults with community acquired pneumonia discharged from the emergency department, **521**
- bowel obstruction**, A case of acute large bowel obstruction, presenting in a patient taking warfarin, **e8**
- branchial region**, First branchial cleft anomaly presenting as a recurrent post-auricular abscess, **103**
- bronchoscopy**, Delayed diagnosis of foreign body aspiration in children, **100**
- bupropion**, Sustained release bupropion overdose: an important cause of prolonged symptoms after an overdose, **560**
- burns**, Public health warning: Pancake Day!, **302**
- Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **464**
- Use of cut endotracheal tubes should be avoided in the initial resuscitation of the burned patient, **109**
- caesarean section**, Caesarean delivery during maternal cardiopulmonary resuscitation for status asthmaticus, **296**
- cardiac arrest**, Transthoracic echocardiography during cardiac arrest due to massive pulmonary embolism, **395**
- cardiac emergencies**, Is the public equipped to act in out of hospital cardiac emergencies?, **85**
- cardiopulmonary resuscitation**, Caesarean delivery during maternal cardiopulmonary resuscitation for status asthmaticus, **296**
- Death from petrol inhalation after an armoured vehicle rollover, **494**
- Resuscitation Predictor Scoring Scale for in-hospital cardiac arrests, **6**
- case-control study**, Observational research methods. Research design II: cohort, cross sectional, and case-control studies, **54**
- cervical spine imaging**, Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **169**
- cervical vertebrae**, Cervical spine injuries to children under 11: should we use radiography more selectively in their initial assessment?, **225**
- Management of whiplash injuries presenting to accident and emergency departments in Wales, **354**
- chest compression**, Hazards of performing chest compressions in collapsed patients with internal cardioverter defibrillators, **379**
- chest drains**, Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **169**
- chest pain**, Cost effectiveness of diagnostic strategies for patients with acute, undifferentiated chest pain, **429**
- Observational study of prehospital delays in patients with chest pain, **270**
- Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **263**
- child**, An evidence and consensus based guideline for the management of a child after a seizure, **13**
- Cervical spine injuries to children under 11: should we use radiography more selectively in their initial assessment?, **225**
- Public health warning: Pancake Day!, **302**
- child protection**, National audit of emergency department child protection procedures, **222**
- children**, Delayed diagnosis of foreign body aspiration in children, **100**
- Do resuscitation attempts in children who die, cause injury?, **10**
- Effect of weather on attendance with injury at a paediatric emergency department, **204**
- Fracture of the sternum in children, **518**
- How do blood cultures sent from a paediatric accident and emergency department influence subsequent clinical management?, **347**
- Nurse administered relative analgesia using high concentration nitrous oxide to facilitate minor procedures in children in an emergency department, **410**
- Sledging in childhood: just harmless fun?, **538**
- Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **169**
- Use of the infant transwarmer mattress as an external warming modality in resuscitation from hypothermia, **487**
- Chlamydia psittaci**, *Chlamydia psittaci* pneumonia presenting as acute generalised peritonism, **386**
- cholecystitis**, An unusual cause of cholecystitis: a worm in the bag, **489**
- cholera**, How the cholera epidemic of 1831 resulted in a new technique for fluid resuscitation, **316**
- clinical decision units**, Clinical decision units in the emergency department: old concepts, new paradigms, and refined gate keeping, **122**
- clinical diagnosis**, How well does decision support software perform in the emergency department?, **426**
- clinical effectiveness**, Emergency nurse practitioners: a three part study in clinical and cost effectiveness, **158**
- clinical risk**, Clinical decision units in the emergency department: old concepts, new paradigms, and refined gate keeping, **122**
- coagulation**, Transient lupus anticoagulant: an unusual cause of bruising in children, **e6**
- cocaine**, Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **169**
- cohort study**, Observational research methods. Research design II: cohort, cross sectional, and case-control studies, **54**
- communication**, Communication with general practitioners after accident and emergency attendance: computer generated letters are often deficient, **256**
- community acquired pneumonia**, Utility of blood cultures in the management of adults with community acquired pneumonia discharged from the emergency department, **521**
- community care**, Developing a community paramedic practitioner intermediate care support scheme for older people with minor conditions, **196**
- community safety**, Use of, and outputs from, an assault patient questionnaire within accident and emergency departments on Merseyside, **232**
- compliance**, Do callers to NHS Direct follow the advice to attend an accident and emergency department?, **285**
- compression**, Musculoskeletal medicine/sports medicine, **500**
- computerised attendance record**, A pragmatic approach to timely disease surveillance in the emergency department, **443**
- computerised log**, A computerised log for the emergency department resuscitation room, **568**
- coronary heart disease**, National Service Framework fails to address the decision time, **208**
- corticosteroids**, Randomised controlled trial of single, subacromial injection of methylprednisolone in patients with persistent, post-traumatic impingement of the shoulder, **218**
- cost effectiveness**, Cost effectiveness of diagnostic strategies for patients with acute, undifferentiated chest pain, **429**
- Emergency nurse practitioners: a three part study in clinical and cost effectiveness, **158**
- co-trimoxazole**, Co-trimoxazole induced acute thrombocytopenic purpura, **e3**
- crime reduction**, Use of, and outputs from, an assault patient questionnaire within accident and emergency departments on Merseyside, **232**
- critically ill**, Descriptive epidemiology of adult critical care transfers from the emergency department, **242**
- cross sectional study**, Observational research methods. Research design II: cohort, cross sectional, and case-control studies, **54**
- croup**, Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **263**
- crush injury**, Fasciotomy in crush injury resulting from prolonged pressure in an earthquake in Turkey, **251**
- crush syndrome**, Crush syndrome patients after the Marmara earthquake, **247**
- cyclic antidepressant**, Review of prehospital sodium bicarbonate use for cyclic antidepressant overdose, **483**
- cyclizine**, Cyclizine, **302**
- cyst**, First branchial cleft anomaly presenting as a recurrent post-auricular abscess, **103**

- D dimer test**, Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **362**
- data collection**, Data collection in the emergency setting, **459**
- D-dimer**, Role of fibrin D-dimer testing in emergency medicine, **319**
- D-dimer estimation**, Emergency department investigation of deep vein thrombosis, **29**
- death certification**, Evidence for cause of death in patients dying in an accident and emergency department, **349**
- decision making**, Discharge from triage: modelling the potential in different types of emergency department, **130**
- decision support**, Computer assisted assessment and advice for "non-serious" 999 ambulance service callers: the potential impact on ambulance despatch, **178**
- decision support systems**, How well does decision support software perform in the emergency department?, **426**
- decompression aspiration**, Life threatening haemorrhage after anterior needle aspiration of pneumothoraces. A role for lateral needle aspiration in emergency decompression of spontaneous pneumothorax, **383**
- decompression sickness**, Decompression sickness and recreational scuba divers, **332**
- decontamination**, Feasibility of prehospital treatment with activated charcoal: Who could we treat, who should we treat?, **375**
- deep vein thrombosis**, Emergency department investigation of deep vein thrombosis, **29**
Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **362**
- defibrillation**, Successful resuscitation of a patient with electrical storm, **e4**
Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **464**
- deliberate self harm**, Incidence and prevalence of domestic violence in a UK emergency department, **438**
- Delphi consensus**, An evidence and consensus based guideline for the management of a child after a seizure, **13**
- demand**, Designing the accident and emergency system: lessons from manufacturing, **125**
- dentures**, Dentures may be radiolucent, **562**
- design**, Designing the accident and emergency system: lessons from manufacturing, **125**
- diabetic ketoacidosis**, Emergency management of diabetic ketoacidosis in adults, **210**
- diagnosis**, Cost effectiveness of diagnostic strategies for patients with acute, undifferentiated chest pain, **429**
- disease surveillance**, A pragmatic approach to timely disease surveillance in the emergency department, **443**
- distal neurovascular status**, An uncommon peripheral nerve injury after penetrating injury of the forearm: the importance of clinical examination, **565**
- diving disease**, Decompression sickness and recreational scuba divers, **332**
- dog bite**, Barking up the wrong tree? A survey of dog bite wound management, **253**
- domestic violence**, Incidence and prevalence of domestic violence in a UK emergency department, **438**
- door to needle time**, Nurse initiated thrombolysis in the accident and emergency department: safe, accurate, and faster than fast track, **418**
- Down's syndrome**, Stridor and Down's syndrome, **301**
- driving**, Who can drive home from the emergency department? A questionnaire based study of emergency physicians' knowledge of DVLA guidelines, **526**
- drug misuse**, Haemodynamic and electrocardiographic consequences of severe nicorandil toxicity, **98**
Temperate pyomyositis in an injecting drug misuser. A difficult diagnosis in a difficult patient, **299**
- drug screening**, Comprehensive drug screening in decision making of patients attending the emergency department for suspected drug overdose, **25**
- drug therapy**, How evidence based are therapeutic decisions taken on a medical admissions unit?, **447**
- earthquake**, Crush syndrome patients after the Marmara earthquake, **247**
Fasciotomy in crush injury resulting from prolonged pressure in an earthquake in Turkey, **251**
- education**, How to get on a SpR rotation in emergency medicine (and make the most of it), **238**
Mapping the range and scope of emergency nurse practitioner services in the Northern and Yorkshire Region: a telephone survey, **414**
Prehospital use of paracetamol among children attending the accident and emergency department, **88**
- elderly population**, Developing a community paramedic practitioner intermediate care support scheme for older people with minor conditions, **196**
- electrical storm**, Successful resuscitation of a patient with electrical storm, **e4**
- electrocardiogram**, Electrocardiographic artefact mimicking arrhythmic change on the ECG, **356**
- electrocardiography**, Electrocardiographic features of Wolff-Parkinson-White syndrome, **491**
- electromagnet**, An after dinner speaker?, **389**
- email**, Is email a reliable means of contacting authors of previously published papers? A study of the *Emergency Medicine Journal* for 2001, **352**
- emergency care**, Reforming emergency care; for patients, **112**
Reforming the UK emergency care system, **113**
The Surrey Emergency Care System: a countywide initiative for change, **192**
Turbulent times, **116**
Use of out of hours services: a comparison between two organisations, **184**
- emergency department**, Health care policy makers, we have a problem, **399**
What is the effect of reporting all emergency department radiographs?, **40**
- emergency department nurses**, Working together, sharing the burden, **398**
- emergency department overcrowding**, Entry overload, emergency department overcrowding, and ambulance bypass, **406**
Sex, SARS, and the Holy Grail, **400**
- emergency nurse practitioners**, Emergency nurse practitioners: a three part study in clinical and cost effectiveness, **158**
Mapping the range and scope of emergency nurse practitioner services in the Northern and Yorkshire Region: a telephone survey, **414**
- emergency system**, Designing the accident and emergency system: lessons from manufacturing, **125**
- emergency vehicle contamination**, A preliminary investigation into bacterial contamination of Welsh emergency ambulances, **479**
- EMS classification**, Evaluation of emergency medical services systems: a classification to assist in determination of indicators, **188**
- EMS performance indicators**, Evaluation of emergency medical services systems: a classification to assist in determination of indicators, **188**
- endotracheal tubes**, Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **263**
Use of cut endotracheal tubes should be avoided in the initial resuscitation of the burned patient, **109**
- epidemic**, How the cholera epidemic of 1831 resulted in a new technique for fluid resuscitation, **316**
- epidemiology**, Descriptive epidemiology of adult critical care transfers from the emergency department, **242**
Incidence and prevalence of domestic violence in a UK emergency department, **438**
Population based epidemiology of ankle sprains attending accident and emergency units in the West Midlands of England, and a survey of UK practice for severe ankle sprains, **508**
The epidemiology of assault across the West Midlands, **434**
- epididymitis**, Scrotal pain in the absence of torsion; need for vigilance, **104**
- evidence base**, Accumulating knowledge: five years of BETs, **304**
- evidence based medicine**, How evidence based are therapeutic decisions taken on a medical admissions unit?, **447**
- falls**, Accident and emergency attendances by children under the age of 1 year as a result of injury, **21**
Predictors of falls in a high risk population: results from the prevention of falls in the elderly trial (PROFET), **421**
- fasciotomy**, Fasciotomy in crush injury resulting from prolonged pressure in an earthquake in Turkey, **251**
- femoral**, Use of emergency department ultrasound in the diagnosis and early management of femoral fractures, **395**

- fever**, Prehospital use of paracetamol among children attending the accident and emergency department, **88**
- first aid**, ABCDEs, **358**
- fish bone**, Perforation of the oesophagus and aorta after eating fish: an unusual cause of chest pain, **385**
- fluid resuscitation**, How the cholera epidemic of 1831 resulted in a new technique for fluid resuscitation, **316**
Salt of the earth or a drop in the ocean? A pathophysiological approach to fluid resuscitation, **306**
- foreign body**, Delayed diagnosis of foreign body aspiration in children, **100**
Dentures may be radiolucent, **562**
- fracture**, Fracture of lateral process of the talus presenting as ankle pain, **e2**
Fracture of the sternum in children, **518**
Use of emergency department ultrasound in the diagnosis and early management of femoral fractures, **395**
- funding**, Seeking funding for research, **359**
- gastric injury**, Isolated posterior gastric injury due to blunt abdominal trauma, **566**
- gastric lavage**, Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **61**
- gastroenteritis**, Acute bacterial gastroenteritis: a study of adult patients with positive stool cultures treated in the emergency department, **335**
- general practitioners**, Communication with general practitioners after accident and emergency attendance: computer generated letters are often deficient, **256**
Use of out of hours services: a comparison between two organisations, **184**
- guidelines**, Acute bacterial gastroenteritis: a study of adult patients with positive stool cultures treated in the emergency department, **335**
An evidence and consensus based guideline for the management of a child after a seizure, **13**
Improving the effectiveness of the emergency management of renal colic in a district general hospital: a completed audit cycle, **449**
Role of the accident and emergency review clinic in UK service provision, **44**
The NICE head injury guidelines, **117**
- haemoperitoneum**, Lesson learnt: don't prescribe heparin for hemoperitoneum!, **206**
- haemoptysis**, Haemoptysis as a late presentation of aneurysm leakage after aortic coarctation repair: The case for vigilant lifelong radiology surveillance?, **102**
- haemorrhage**, Spontaneous retroperitoneal haemorrhage from a renal cyst: an unusual cause of haemorrhagic shock, **388**
- head injury**, The NICE head injury guidelines, **117**
Unusual presentation of atrial fibrillation, **106**
- health education**, Evaluation of an evidence based patient educational booklet for management of whiplash associated disorders, **514**
- healthcare quality**, Emergency department overcrowding in the United States: an emerging threat to patient safety and public health, **402**
- hepatitis C**, Impact of a newly opened prison on an accident and emergency department, **48**
- hospital disaster plan**, A hospital response to a soccer stadium stampede in Zimbabwe, **556**
- hyperthyroidism**, Thyrotoxic periodic paralysis: an unusual presentation of weakness, **e7**
- hypoglycaemia**, Outcome of diabetic patients treated in the prehospital arena after a hypoglycaemic episode, and an exploration of treat and release protocols: a review of the literature, **274**
- hypokalaemia paralysis**, Thyrotoxic periodic paralysis: an unusual presentation of weakness, **e7**
- ice**, Musculoskeletal medicine/sports medicine, **500**
- impingement**, Randomised controlled trial of single, subacromial injection of methylprednisolone in patients with persistent, post-traumatic impingement of the shoulder, **218**
- infectious diarrhoea**, Acute bacterial gastroenteritis: a study of adult patients with positive stool cultures treated in the emergency department, **335**
- ingestion**, Dentures may be radiolucent, **562**
- inhalational exposure**, Death from petrol inhalation after an armoured vehicle rollover, **494**
- injection**, Randomised controlled trial of single, subacromial injection of methylprednisolone in patients with persistent, post-traumatic impingement of the shoulder, **218**
- injuries**, Accident and emergency attendances by children under the age of 1 year as a result of injury, **21**
Cervical spine injuries to children under 11: should we use radiography more selectively in their initial assessment?, **225**
Effect of weather on attendance with injury at a paediatric emergency department, **204**
- injury**, An after dinner speaker?, **389**
Randomised controlled trial of the onset of analgesic efficacy of dexketoprofen and diclofenac in lower limb injury, **511**
Traumatic dislocation of the testis: a rare sequel of perineal injury, **567**
- internal cardioverter defibrillators**, Hazards of performing chest compressions in collapsed patients with internal cardioverter defibrillators, **379**
- Isadora Duncan**, Survival from accidental strangulation from a scarf resulting in laryngeal rupture and carotid artery stenosis: the "Isadora Duncan syndrome". A case report and review of literature, **391**
- journal scan**, JournalScan, **68**
JournalScan, **176**
JournalScan, **268**
JournalScan, **373**
JournalScan, **471**
JournalScan, **554**
- ketoacidosis**, Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **362**
- laryngeal rupture**, Survival from accidental strangulation from a scarf resulting in laryngeal rupture and carotid artery stenosis: the "Isadora Duncan syndrome". A case report and review of literature, **391**
- lateral talar process**, Fracture of lateral process of the talus presenting as ankle pain, **e2**
- leadership**, Article 12. Major incidents, leadership, and series summary and review, **70**
- ligament injury**, A survey of current consultant practice of treatment of severe ankle sprains in emergency departments in the United Kingdom, **505**
- lights and sirens**, Emergency ambulances on public highway linked with inconvenience and potential danger to road users, **277**
- low priority ambulance calls**, NHS Direct: consistency of triage outcomes, **289**
- lupus anticoagulant**, Transient lupus anticoagulant: an unusual cause of bruising in children, **e6**
- major incidents**, Article 12. Major incidents, leadership, and series summary and review, **70**
- major medical incident plan**, A hospital response to a soccer stadium stampede in Zimbabwe, **556**
- management**, Article 12. Major incidents, leadership, and series summary and review, **70**
- mandibular fracture**, Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **547**
- mass casualty incident**, A hospital response to a soccer stadium stampede in Zimbabwe, **556**
- medical audit**, Accident and emergency departments are still failing to assess asthma severity, **329**
How evidence based are therapeutic decisions taken on a medical admissions unit?, **447**
- medical errors**, Emergency department overcrowding in the United States: an emerging threat to patient safety and public health, **402**
- medical informatics**, How well does decision support software perform in the emergency department?, **426**
- mercury**, Mad as a hatter, **568**
- microbiology**, Utility of blood cultures in the management of adults with community acquired pneumonia discharged from the emergency department, **521**
- microlithiasis**, Scrotal pain in the absence of torsion; need for vigilance, **104**
- minor conditions**, Developing a community paramedic practitioner intermediate care support scheme for older people with minor conditions, **196**
- miscarriage**, Use of anti-D immunoglobulin in maternal trauma, **498**
- models**, Would a prehospital practitioner model improve patient care in rural Australia?, **199**
- monitoring**, Standard pulse oximeters can be used to monitor respiratory rate, **524**

- The PEP respiratory monitor: a validation study, **326**
- mountain rescue**, The Scottish mountain rescue casualty study, **281**
- muscle weakness**, Thyrotoxic periodic paralysis: an unusual presentation of weakness, **e7**
- musculoskeletal injury**, Musculoskeletal medicine/sports medicine, **500**
- myocardial infarction**, Successful resuscitation of a patient with electrical storm, **e4**
- myocardial ischaemia**, Cost effectiveness of diagnostic strategies for patients with acute, undifferentiated chest pain, **429**
- naltrexone**, Effect of inappropriate naltrexone use in a heroin misuser, **381**
- national service framework**, Meeting National Service Framework goals for patients presenting with acute myocardial infarction, **156**
National Service Framework fails to address the decision time, **208**
- neck injuries**, Management of whiplash injuries presenting to accident and emergency departments in Wales, **354**
- neck sprain**, Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **61**
- necropsy**, Evidence for cause of death in patients dying in an accident and emergency department, **349**
- nerve injury**, An uncommon peripheral nerve injury after penetrating injury of the forearm: the importance of clinical examination, **565**
- NHS Direct**, Do callers to NHS Direct follow the advice to attend an accident and emergency department?, **285**
NHS Direct: consistency of triage outcomes, **289**
- NICE**, The NICE head injury guidelines, **117**
- nicorandil**, Haemodynamic and electrocardiographic consequences of severe nicorandil toxicity, **98**
- nitrous oxide**, Nitrous oxide in emergency medicine, **214**
Nurse administered relative analgesia using high concentration nitrous oxide to facilitate minor procedures in children in an emergency department, **410**
- non-invasive ventilation**, Non-invasive ventilation in acute respiratory failure: a randomised comparison of continuous positive airway pressure and bi-level positive airway pressure, **531**
- non-steroidal anti-inflammatory drug**, Randomised controlled trial of the onset of analgesic efficacy of dexametopfen and diclofenac in lower limb injury, **511**
- nurse triage**, Computer assisted assessment and advice for "non-serious" 999 ambulance service callers: the potential impact on ambulance despatch, **178**
- nursing**, Nurse administered relative analgesia using high concentration nitrous oxide to facilitate minor procedures in children in an emergency department, **410**
Working together, sharing the burden, **398**
- observation units**, Clinical decision units in the emergency department: old concepts, new paradigms, and refined gate keeping, **122**
- observation ward**, Use of emergency observation and assessment wards: a systematic literature review, **137**
- ocular trauma**, Ocular trauma related to airbag deployment, **490**
- occult pneumothorax**, The point of the needle. Occult pneumothorax: a review, **293**
- oesophagus**, Dentures may be radiolucent, **562**
- opioid detoxification**, Effect of inappropriate naltrexone use in a heroin misuser, **381**
- ornithosis**, *Chlamydia psittaci* pneumonia presenting as acute generalised peritonism, **386**
- out of hospital**, Is the public equipped to act in out of hospital cardiac emergencies?, **85**
- out of hospital cardiac arrest**, Paramedic accuracy in using a decision support algorithm when recognising adult death: a prospective cohort study, **473**
- out of hours**, Use of out of hours services: a comparison between two organisations, **184**
- outpatient**, Utility of blood cultures in the management of adults with community acquired pneumonia discharged from the emergency department, **521**
- overcrowding**, Health care policy makers, we have a problem, **399**
- overdose**, Feasibility of prehospital treatment with activated charcoal: Who could we treat, who should we treat?, **375**
Sodium bicarbonate to treat massive β blocker overdose, **393**
Sustained release bupropion overdose: an important cause of prolonged symptoms after an overdose, **560**
Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **263**
- oxygen**, Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **547**
- Paddington Alcohol Test**, Impact of health consequences feedback on patients acceptance of advice about alcohol consumption, **451**
- pain assessment**, Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **464**
- pain score**, Randomised controlled trial of the onset of analgesic efficacy of dexametopfen and diclofenac in lower limb injury, **511**
- pancreatitis**, Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **547**
- paracetamol**, Prehospital use of paracetamol among children attending the accident and emergency department, **88**
Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **362**
- paramedic**, Outcome of diabetic patients treated in the prehospital arena after a hypoglycaemic episode, and an exploration of treat and release protocols: a review of the literature, **274**
Paramedic accuracy in using a decision support algorithm when recognising adult death: a prospective cohort study, **473**
- patella**, Superior dislocation of the patella; a case report and review of the literature, **97**
- patient flow**, Analysis of patient flow in the emergency department and the effect of an extensive reorganisation, **143**
- patient information**, Evaluation of an evidence based patient educational booklet for management of whiplash associated disorders, **514**
- peak expiratory flow rate**, Accident and emergency departments are still failing to assess asthma severity, **329**
- penetrating injury**, An uncommon peripheral nerve injury after penetrating injury of the forearm: the importance of clinical examination, **565**
- perforation**, Perforation of the oesophagus and aorta after eating fish: an unusual cause of chest pain, **385**
- peritonism**, *Chlamydia psittaci* pneumonia presenting as acute generalised peritonism, **386**
- petroleum**, Death from petrol inhalation after an armoured vehicle rollover, **494**
- pharmacological treatment**, Pharmacological management of agitation in emergency settings, **339**
- physiotherapy practitioner**, Management of soft tissue knee injuries in an accident and emergency department: the effect of the introduction of a physiotherapy practitioner, **37**
- poisoning**, Feasibility of prehospital treatment with activated charcoal: Who could we treat, who should we treat?, **375**
Mad as a hatter, **568**
Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **464**
- policy**, Health care policy makers, we have a problem, **399**
- post-traumatic stress disorder**, Interventions for post-traumatic stress disorder and psychological distress in emergency ambulance personnel: a review of the literature, **75**
Post-traumatic stress among Swedish ambulance personnel, **79**
- predicting survival**, Resuscitation Predictor Scoring Scale for in-hospital cardiac arrests, **6**
- pregnancy complications**, Caesarean delivery during maternal cardiopulmonary resuscitation for status asthmaticus, **296**
- prehospital**, Outcome of diabetic patients treated in the prehospital arena after a hypoglycaemic episode, and an exploration of treat and release protocols: a review of the literature, **274**
- prehospital care**, The advances and evidence base for prehospital care, **114**
Would a prehospital practitioner model improve patient care in rural Australia?, **199**
- prehospital delay**, Observational study of prehospital delays in patients with chest pain, **270**
- prehospital medicine**, Prehospital emergency medicine: the series, **304**
- prehospital thoractomy**, Author's reply, **394**
Prehospital thoractomy, **394**
- prevention**, Predictors of falls in a high risk population: results from the prevention of falls in the elderly trial (PROFET), **421**
- primary care**, Use of out of hours services: a comparison between two organisations, **184**
- prison**, Impact of a newly opened prison on an accident and emergency department, **48**
- prisoners**, Impact of a newly opened prison on an accident and emergency department, **48**

- Professor Rod Little**, On the retirement of Professor Rod Little, **2**
- pronouncement of death**, Paramedic accuracy in using a decision support algorithm when recognising adult death: a prospective cohort study, **473**
- public health**, Emergency department overcrowding in the United States: an emerging threat to patient safety and public health, **402**
- pulmonary embolism**, Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **362**
Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **547**
Transthoracic echocardiography during cardiac arrest due to massive pulmonary embolism, **395**
- pulmonary oedema**, Non-invasive ventilation in acute respiratory failure: a randomised comparison of continuous positive airway pressure and bi-level positive airway pressure, **531**
- pulse oximetry**, Standard pulse oximeters can be used to monitor respiratory rate, **524**
- pyroelectric polymers**, The PEP respiratory monitor: a validation study, **326**
- radiograph**, What is the effect of reporting all emergency department radiographs?, **40**
- radiography**, Cervical spine injuries to children under 11: should we use radiography more selectively in their initial assessment?, **225**
Comminuted fracture of the talus not visible on the initial radiograph, **e1**
- radiology report**, What is the effect of reporting all emergency department radiographs?, **40**
- randomised controlled trial**, Predictors of falls in a high risk population: results from the prevention of falls in the elderly trial (PROFET), **421**
- randomised controlled trials**, Designing a research project: randomised controlled trials and their principles, **164**
- rapid sequence intubation**, Rapid sequence intubation in Scottish urban emergency departments, **3**
- recognition of death**, Paramedic accuracy in using a decision support algorithm when recognising adult death: a prospective cohort study, **473**
- recreational diver**, Decompression sickness and recreational scuba divers, **332**
- rectus sheath haematoma**, A case of acute large bowel obstruction, presenting in a patient taking warfarin, **e8**
- reforming emergency care**, Discharge from triage: modelling the potential in different types of emergency department, **130**
- refractory hypoxemia**, A reversible cause of refractory hypoxaemia, **e5**
- regional anaesthesia**, Use of emergency department ultrasound in the diagnosis and early management of femoral fractures, **395**
- renal colic**, Improving the effectiveness of the emergency management of renal colic in a district general hospital: a completed audit cycle, **449**
- renal cyst**, Spontaneous retroperitoneal haemorrhage from a renal cyst: an unusual cause of haemorrhagic shock, **388**
- reorganisation**, Analysis of patient flow in the emergency department and the effect of an extensive reorganisation, **143**
- research**, Data collection in the emergency setting, **459**
Designing a research project: randomised controlled trials and their principles, **164**
Research for higher degrees, **543**
Seeking funding for research, **359**
Statistical consideration for research, **258**
- research design**, An introduction to power and sample size estimation, **453**
- research methods**, Observational research methods. Research design II: cohort, cross sectional, and case-control studies, **54**
- respiration**, Standard pulse oximeters can be used to monitor respiratory rate, **524**
- respiratory rate**, The PEP respiratory monitor: a validation study, **326**
- resuscitation**, ABCDEs, **358**
Do resuscitation attempts in children who die, cause injury?, **10**
Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **464**
Use of cut endotracheal tubes should be avoided in the initial resuscitation of the burned patient, **109**
Use of the infant transwarmer mattress as an external warming modality in resuscitation from hypothermia, **487**
- retrospective studies**, How evidence based are therapeutic decisions taken on a medical admissions unit?, **447**
- retrospective study**, Cervical spine injuries to children under 11: should we use radiography more selectively in their initial assessment?, **225**
- review clinic**, Role of the accident and emergency review clinic in UK service provision, **44**
- re-warming**, Use of the infant transwarmer mattress as an external warming modality in resuscitation from hypothermia, **487**
- risk factors**, Predictors of falls in a high risk population: results from the prevention of falls in the elderly trial (PROFET), **421**
- road users**, Emergency ambulances on public highway linked with inconvenience and potential danger to road users, **277**
- rural**, Would a prehospital practitioner model improve patient care in rural Australia?, **199**
- sample size**, An introduction to power and sample size estimation, **453**
- SARS**, SARS: experience from the emergency department, Tan Tock Seng Hospital, Singapore, **501**
- screening**, Impact of health consequences feedback on patients acceptance of advice about alcohol consumption, **451**
- scuba diving**, Decompression sickness and recreational scuba divers, **332**
- seat belt**, Three women in a car, **297**
- secondary transport**, Descriptive epidemiology of adult critical care transfers from the emergency department, **242**
- See and Treat**, See and Treat: don't throw triage out with the bathwater, **119**
See and Treat: one size does not fit all, **118**
See and Treat: one size does not fit all, **120**
Turbulent times, **116**
- seizures**, An evidence and consensus based guideline for the management of a child after a seizure, **13**
Sustained release bupropion overdose: an important cause of prolonged symptoms after an overdose, **560**
- senior house officers**, A chapter in emergency: a surgical trainee's experience, **535**
Stress and coping in accident and emergency senior house officers, **230**
- service availability**, Mapping the range and scope of emergency nurse practitioner services in the Northern and Yorkshire Region: a telephone survey, **414**
- severe acute respiratory syndrome**, SARS: experience from the emergency department, Tan Tock Seng Hospital, Singapore, **501**
- shoulder**, Randomised controlled trial of single, subacromial injection of methylprednisolone in patients with persistent, post-traumatic impingement of the shoulder, **218**
- skillmix**, Skillmix: an advance or an excuse?, **112**
- sledging**, Sledging in childhood: just harmless fun?, **538**
- snowboarding**, A case of isolated proximal tibiofibular joint dislocation while snowboarding, **563**
- social care**, Social care's impact on emergency medicine: a model to test, **133**
- sodium bicarbonate**, Review of prehospital sodium bicarbonate use for cyclic antidepressant overdose, **483**
Sodium bicarbonate to treat massive β blocker overdose, **393**
- soft tissue**, Musculoskeletal medicine/sports medicine, **500**
- soft tissue injuries**, Management of whiplash injuries presenting to accident and emergency departments in Wales, **354**
- spinal board**, Comparison of a long spinal board and vacuum mattress for spinal immobilisation, **476**
- spinal immobilisation**, Comparison of a long spinal board and vacuum mattress for spinal immobilisation, **476**
- spleen**, Lesson learnt: don't prescribe heparin for hemoperitoneum!, **206**
- spontaneous rupture**, Lesson learnt: don't prescribe heparin for hemoperitoneum!, **206**
- sports medicine**, How important is sport and exercise medicine to the accident and emergency specialist? A study in the UK and Ireland, **540**
Musculoskeletal medicine/sports medicine, **500**
- SpR rotation**, How to get on a SpR rotation in emergency medicine (and make the most of it), **238**
- stress**, Stress and coping in accident and emergency senior house officers, **230**
- statistics**, An introduction to power and sample size estimation, **453**
Statistical consideration for research, **258**
- stenosis**, Survival from accidental strangulation from a scarf resulting in laryngeal rupture and carotid artery stenosis: the "Isadora Duncan syndrome". A case report and review of literature, **391**
- sternal fracture**, Three women in a car, **297**
- sternum**, Fracture of the sternum in children, **518**

- stool cultures**, Acute bacterial gastroenteritis: a study of adult patients with positive stool cultures treated in the emergency department, **335**
- stridor**, Stridor and Down's syndrome, **301**
- stroke**, Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **547**
- superior dislocation**, Superior dislocation of the patella; a case report and review of the literature, **97**
- suture technique**, Prospective randomised trial comparing traditional suture technique with the dynamic sliding loop suture technique in the closure of skin lacerations, **33**
- talus fracture**, Comminuted fracture of the talus not visible on the initial radiograph, **e1**
- telephone advice**, Computer assisted assessment and advice for "non-serious" 999 ambulance service callers: the potential impact on ambulance despatch, **178**
- telephone number**, What is the patient's best telephone number?, **302**
- temperate pyomyositis**, Temperate pyomyositis in an injecting drug misuser. A difficult diagnosis in a difficult patient, **299**
- tension pneumothorax**, Life threatening haemorrhage after anterior needle aspiration of pneumothoraces. A role for lateral needle aspiration in emergency decompression of spontaneous pneumothorax, **383**
- Tension pneumothorax: eyes may be more diagnostic than ears, **495**
- terminating resuscitation**, Resuscitation Predictor Scoring Scale for inhospital cardiac arrests, **6**
- testis**, Traumatic dislocation of the testis: a rare sequel of perineal injury, **567**
- tetanus prophylaxis**, Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **61**
- thrombocytopenic purpura**, Co-trimoxazole induced acute thrombocytopenic purpura, **e3**
- thrombolysis**, Meeting National Service Framework goals for patients presenting with acute myocardial infarction, **156**
- Nurse initiated thrombolysis in the accident and emergency department: safe, accurate, and faster than fast track, **418**
- Patient knowledge of thrombolysis in acute myocardial infarction, **52**
- Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **61**
- tibiofibular joint dislocation**, A case of isolated proximal tibiofibular joint dislocation while snowboarding, **563**
- tissue adhesive**, Tissue adhesive with adhesive strips for wound closure, **498**
- training**, A chapter in emergency: a surgical trainee's experience, **535**
- How important is sport and exercise medicine to the accident and emergency specialist? A study in the UK and Ireland, **540**
- Research for higher degrees, **543**
- transthoracic echocardiography**, Transthoracic echocardiography during cardiac arrest due to massive pulmonary embolism, **395**
- transwarmer mattress**, Use of the infant transwarmer mattress as an external warming modality in resuscitation from hypothermia, **487**
- trauma**, Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **169**
- trauma care**, Lack of change in trauma care in England and Wales since 1994, **497**
- traumatic carotid artery**, Survival from accidental strangulation from a scarf resulting in laryngeal rupture and carotid artery stenosis: the "Isadora Duncan syndrome". A case report and review of literature, **391**
- treat and release**, Outcome of diabetic patients treated in the prehospital arena after a hypoglycaemic episode, and an exploration of treat and release protocols: a review of the literature, **274**
- triage**, NHS Direct: consistency of triage outcomes, **289**
- See and Treat: don't throw triage out with the bathwater, **119**
- ultrasound**, Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **547**
- Use of emergency department ultrasound in the diagnosis and early management of femoral fractures, **395**
- urinary tract infection**, Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **362**
- vacuum mattress**, Comparison of a long spinal board and vacuum mattress for spinal immobilisation, **476**
- warfarin**, A case of acute large bowel obstruction, presenting in a patient taking warfarin, **e8**
- weather**, Effect of weather on attendance with injury at a paediatric emergency department, **204**
- whiplash associated disorder**, Evaluation of an evidence based patient educational booklet for management of whiplash associated disorders, **514**
- whiplash injuries**, Management of whiplash injuries presenting to accident and emergency departments in Wales, **354**
- Wolff-Parkinson-White syndrome**, Electrocardiographic features of Wolff-Parkinson-White syndrome, **491**
- wound care**, Tissue adhesive with adhesive strips for wound closure, **498**
- wound closure**, Prospective randomised trial comparing traditional suture technique with the dynamic sliding loop suture technique in the closure of skin lacerations, **33**
- wounds**, Barking up the wrong tree? A survey of dog bite wound management, **253**
- young children**, Accident and emergency attendances by children under the age of 1 year as a result of injury, **21**