

- The Delphi method was used to establish clear data fields for the trauma app. This involved expert clinicians from MTCs and MTUs within Scotland
- High fidelity trauma simulation was performed

Conclusions The comparison of current standards of paper documentation and data fields of the app has ensured granularity of data is increased.

Clinicians have provided feedback throughout the design process which has led to further development and refinement. This expert input has ensured that the data fields within the app are adequate and valid.

The overall result is an app that mirrors and supports the established clinical framework for trauma management and enables enhanced data visualisation of episodes of care.

036 FEASIBILITY OF COLLECTING REAL-TIME EMERGENCY DEPARTMENT PATIENT SAFETY AND EXPERIENCE FEEDBACK

Sally-Anne Wilson, Claire Marsh. *Improvement Academy, Bradford Teaching Hospitals NHS FT*

10.1136/emered-2019-RCEM.36

Background The NHS Long Term Plan aims to make care more Patient-Centred through listening to patients. The acute nature of ED care presents barriers to collecting patient feedback. We have explored two interventions (PRASE and Y-PET), as mechanisms for collecting and reporting safety feedback (PRASE) and experience feedback (Y-PET) in EDs.

An iterative approach was used to develop PMOS10 (PRASE questionnaire) for the ED which was tested in 5 departments with over 100 patients. The Y-PET was used alongside these tools in 2 departments with 40 patients.

A mixture of patient volunteers and staff collected the feedback.

Two questions from the PMOS10 proved to be unsuitable for the ED setting, and were substituted. Through further iterative tests, we now have a PMOS10(ED).

Hospital volunteers and staff not associated with the department are best placed to collect unbiased results. Patients (or their relatives) who are awaiting transport home or a hospital bed are best placed to give feedback. The traffic light display of patient safety feedback provided in PRASE is useful for assurance but staff need more qualitative data to inspire change. PRASE patient comments go some way to providing this but are strongly enhanced by the open answers of the Y-PET. The Y-PET format for presenting qualitative data as headline areas to celebrate or improve was effective in engaging staff in feedback from both tools.

ED patients can give valuable insight into how safe their care is and areas to celebrate and improve. Staff can engage with feedback themes and key quotes to initiate improvement.

037 IMPROVING THE ADULT PATIENT EXPERIENCE BY INTRODUCING A PAEDIATRIC WOUND CLOSURE METHOD – THE HAIR APPPOSITION TECHNIQUE

Shree-eesh Waydia, Lucas Rehnberg. *University Hospital Southampton NHS Foundation Trust*


10.1136/emered-2019-RCEM.37

Background Scalp lacerations are a common presentation to the Emergency Department (ED). The Hair Apposition Technique (HAT) is a safe, effective, efficient and patient-centred alternative to sutures and commonly used in paediatrics. This Quality Improvement Project (QIP) was inspired by a patient with dementia who could not tolerate sutures for her scalp laceration therefore HAT was used with excellent results and patient satisfaction. This project aimed to introduce the technique to 50% of all eligible adult patients within 6 months.

Method and results A retrospective, case-note baseline review demonstrated no use of HAT in adults during a period of

Abstract 037 Table 1 Breakdown of head lacerations and their closure by month comparing a 3-month period, one year apart

Month	Head lacerations	In Scalp area	Meeting HAT	Had HAT	Alternative to HAT		
					Glue	Staples	Sutures
Nov-17	22	9	7	0	1	1	5
Dec-17	17	7	7	0	1	1	6
Jan-18	17	6	6	0	2	0	4
One year later							
Nov-18	31	15	13	6	5	1	1
Dec-18	25	9	9	4	4	0	1
Jan-19	16	7	7	2	3	0	2



Abstract 037 Figure 1 Graph to show impact of PDSA Cycles on the No. of Patients Having Either Sutures/Staples vs. HAT Over Time