

## Subgroup analysis of matched patients: 2009 - 2013

			Warfarin	
			No	Yes
Total			448	448
Age	Median (IQR)		80.9 (71.7-85.9)	80.5 (71.3-85.8)
ISS	Median (IQR)		10 (9-19)	10 (9-19)
GCS	Median (IQR)		15 (15 - 15)	15 (15 - 15)
GCS grouped	GCS 3 - 8	n(%)	17 (3.8%)	17 (3.8%)
	GCS 9 - 14	n(%)	91 (20.3%)	90 (20.1%)
	GCS 15	n(%)	340 (75.9%)	341 (76.1%)
Head injury	No	n(%)	292 (65.2%)	278 (62.1%)
	Yes	n(%)	156 (34.8%)	170 (37.9%)
Treated in Neurocentre	No	n(%)	291 (65%)	178 (39.7%)
	Yes	n(%)	157 (35%)	270 (60.3%)
Pre Exisitng medical conditon	No PMC	n(%)	5 (1.1%)	5 (1.1%)
	Non-Warfarin related PMC	n(%)	249 (55.6%)	249 (55.6%)
	Warfarin related PMC	n(%)	194 (43.3%)	194 (43.3%)
Outcome	Alive	n(%)	375 (83.7%)	349 (77.9%)
	Dead	n(%)	73 (16.3%)	99 (22.1%)